

Product Overview

Reliable solutions for all industries



Plastic Pallets

Product range for efficient pallet logistics

NP Pallet

Robust and nestable

- Robust construction, particularly durable
- High volume reduction in stacking
 Easy de-nesting without physical effort
- Options*: Rims
- - Reinforcement profiles

 - Anti-slip pads (upper deck) Anti-slip plugs (lower deck)





D Pallets

From light weight to heavy duty loads

- Excellent price/performance ratio
- Variety of options
 D2: a real alternative to the Dusseldorf pallet
- Options*: Rims
 - - Reinforcement profiles Anti-slip plugs







1200 × 800 × 146 mm

Standard colours:

800 × 600 × 160 mm Standard colours: ■



1200 × 800 × 150 mm Standard colours:



SL Pallet

Single shot moulded

Height of only 120 mm

Options*: - Rims

Robust and lightweight

Three runner pallet with low weight

1200 × 800 × 120 mm

Standard colours:

1200 × 1000 × 150 mm Standard colours: ■

CS Pallets

Multi-talented across many industries

- Ideal for bagged goods, cardboard packaging
- and other packed goods

 Combines numerous proven product features

 Variety of equipment options
- Options*: Rims
 - Reinforcement profiles Welded runners









1200 × 800 × 150 mm Standard colours:



1200 × 1000 × 150 mm Standard colours:

H Pallets

A benchmark in hygiene

- Europe's No.1 hygiene pallet with welded runners
 Standard in the meat industry for more than 20 years
- EURO H1: only plastic pallet with comprehensive exchangeability
- Black version: with unwelded runners, ideal for medium loads in non-food areas
- Options*: Rims





Maximum performance in premium quality

CR Pallets

- Bestselling pallet with RFID technology
- Best quality for complex applications Ideally suited for high rack warehouses and automated processes



as standard or optionally.



with Palgrip® anti-slip coating on the top deck and / or under the runners



800 × 600 × 160 mm Standard colours:



with central box retainers 1200 × 800 × 160 mm Standard colours:



1200 × 800 × 160 mm Standard colours:



1200 × 1000 × 160 mm Standard colours:



800 × 600 × 160 mm

Standard colours: ■

Standard colours:



CR3/CR3-5 1200 × 1000 × 160 mm Standard colours: ■■



CR4/CR4-5 48 × 40 × 5.9" (1219 × 1016 × 150 mm) Standard colours:



TC Pallets

The benchmark in the closed pallet market

- Totally Closed permanently completely closed for heavy duty applications

- Patented welding geometry
 Heavy duty hygiene pallet
 Compatible with all closed pallets in the market

- Options*: Rims Reinforcement profiles









TC1 1200 × 800 × 160 mm Standard colours:



TC1 Palgrip® 1200 × 800 × 160 mm Standard colours:



TC3/TC3-5 1200 × 1000 × 160 mm Standard colours: ■■■



TC3/TC3-5 Palgrip® Standard colours:

A Pallets

Perfect for automation

- Ideal for intralogistics processes
- Compatible with new and old systems
 Identical in construction to a wooden Euro palet
- Optionen* Rims
- - Reinforcement profiles
 - Anti-slip plugs (lower deck)





1200 × 800 × 150 mm Standard colours:



L Pallets

The ultimate logistics plastic pallet

- Ideal for intralogistics processes
 Compatible with new and old systems
 EURO L1*: identical in construction to a wooden Euro pallet
- Options*:
 - Reinforcement profiles





EURO L1® 1200 × 800 × 150 mm Standard colours: ■



1200 × 1000 × 160 mm Standard colours:

Pallet Lids

Stackable and precise fit

- Suitable for use with all standard reusable boxes
- Minimise product damage, protect shipment
 ESD versions protect against damage of electric discharge

Options*:





Pallet Lid 800 × 600 mm Universal Version Standard colours: ■ ■



CR2 Version Standard colours:



D2 Version Standard colours:



1200 × 800 mm Standard colours: ■■■



1200 × 1000 mm Standard colours: ■■■

Pallet Collar

Easy, foldable handling

- 100% PE, no other materials (e.g. metal) Volume flexibility as use is adjustable to transport volume
- Increased vehicle fill (double or triple stacking)





1220 x 815 x 300 mm Standard colours: ■

Large Load Carriers

High volume and robust

Pallet Boxes

CB Pallet Boxes

High volume. Robust. Food grade.

- One-piece injection-moulded
- Robust and economic
- Ideal for the daily handling in numerous industries
 Lid: protects the cargo, minimises product damage.
 Secure hold due to latching.
 UN-Box: Pallet boxes in Euro and industrial size for
- the logistics processes connected with production, storage and disposal of lithium accumulators and batteries (UN-certified)



1200 × 800 × 740 mm Standard colours:



CB3 610 I 1200 × 1000 × 740 mm Standard colours:



CB3 High ~1000 I with runners 1200 × 1000 × 1140 mm Standard colours:



CB3 High ~1000 I with feet 1200 × 1000 × 1140 mm Standard colours:



for dangerous goods, with lashing straps and lid 1200 × 800 × 765 mm



for dangerous goods, with lashing straps and lid 1200 × 1000 × 765 mm



Lid CB1 1236 x 836 mm Standard colours: ■ ■



1237 × 1036 mm Standard colours: ■■

SB Pallet Boxes

Extremely robust

- Manufactured in single mould with 3 runners or
- 9 feet, solid or fully perforated version Excellent stability due to thick walls and bottom
- and one-piece runners/feet moulding

 Euro stacking system for compatibility with a
- variety of other pallet boxes Lid: protects the cargo, minimises product damage. Secure hold due to latching.



SB3 610 l with runners and closed sides 1200 × 1000 × 790 mm Standard colours: ■



SB3 610 I with runners and perforated sides . 1200 × 1000 × 790 mm Standard colours:



SB3 610 I with feet and closed sides 1200 × 1000 × 790 mm Standard colours:



SB3 610 I with feet and perforated sides 1200 × 1000 × 790 mm Standard colours: ■



Lid SB3 1221 × 1019 mm Standard colours: ■

HB Pallet Boxes

Hygienic and extremely robust

- First and only completely closed pallet box Cavity and rib-free construction, welded runners and rounded shape provide no surface for bacteria to settle
- Maximum impact and breakage resistance
 Euro stacking system for compatibility with a variety of other pallet boxes
- Lid: protects the cargo, minimises product damage Secure hold due to latching.



HB3 620 I 1200 × 1000 × 790 mm Standard colours: ■



1221 × 1019 mm Standard colours:



Pallet Boxes

KUBO

For heavy weights

- External dimensions compatible with the metal grid box (Gitterbox) enable use in existing systems
 Large front drop door on the long side for easy loading and unloading
 Enormous stability and excellent stackability
 Easy to clean, guaranteed corrosion-free, versatile, suitable for no ping and roparts ble.
- suitable for pooling and repairable



KUBO 610 I 1240 × 835 × 973 mm Standard colours: ■

Nestable Containers

Nestable Large Containers

210-400|

- Ideal for storage and transport
 Nestable, forklift accessible
 Smooth walls



Nestable Large Container 210 l Accessories: Lid, trolley
790 × 605 × 685 mm
Standard colours:



Stack & Nest Container 300 l 1200 × 780 × 630 mm Standard colours: ■



Nestable Large Container 400 l Accessories: Lid, trolley 945 × 725 × 830 mm Standard colours: □

Universal Containers / Grit Bins

210-400 l

- Ideal for various applicationsFacilitate a safe and clean transportation



Universal Container / Grit Bin 210 l

Accessories: Lid or hinged lid 790 × 605 × 685 mm with lid 775 mm Standard colours:



Universal Container / Grit Bin 400 l

Accessories: Lid or hinged lid 945 × 725 × 830 mm with lid 930 mm Standard colours:■■





■ Basalt grey
■ Light blue







Plastic Containers

First-class quality for various applications

Transport and **Stacking Boxes**

25-80 l

- Reliable and hygienic safetyExtremely versatileRobust and resilient



Stacking Box 25 l 475 × 340 × 220 mm Standard colours: □



Stacking Box 55 l 750 × 445 × 200 mm Standard colours: □



Transport Box 40 l 730 × 480 × 180 mm Standard colours: □



Transport Box 80 l 760 × 500 × 320 mm Standard colours: □



Round Container

20-200 l

- Ideal for mixing, storing and
- transporting of goods

 Perfectly tailored to the requirements of hygiene-sensitive application areas

 Durable, robust quality



Bin 40 l Accessories: Lid, trolley Ø 420 × 445 mm Standard colours:



Bin 50 l Accessories: Lid, trolley Ø 420 × 540 mm Standard colours:



Bin 75 l Accessories: Lid or snap-on lid, trolley Ø 515 × 530 mm Standard colours: □



Bin 110 l Accessories: Lid or snap-on lid, trolley Ø 515 × 733 mm Standard colours: □



Bin 200 l Accessories: Lid, trolley Ø 730 × 670 mm Standard colours:□



Bucket 20 l Ø 380 × 280 mm Standard colours:



Bucket 30 l Ø 380 × 420 mm Standard colours:



Tub 65 I Accessories: Lid Ø 590 × 330 mm Standard colours:



Tub 85 I Accessories: Lid Ø 628 × 385 mm Standard colours: □



Trough

100 l

- Ideal for many application areas,
 e.g. as portable washing trough or mixing trough
 Available with or without drain opening



Trough 100 l with drain and plug Accessories: Table or wall frame 980 × 550 × 310 mm Standard colours:



Trough 100 l Accessories: Table or wall frame 980 × 550 × 310 mm Standard colours: □






Large Container

125 I

- Ideal for storage and transportSmooth walls



Large Container 125 l Accessories: Lid 505 × 505 × 715 mm Standard colours:





Stack & Nest Boxes / Fish Boxes

10-50 kg / 15-75 l

- Long lifetime, high manufacturing quality
 Break resistant, impact resistant
 Stackable, nestable, high volume reduction



Stack & Nest Box / Fillet Box 10 kg / 15 l 600 × 400 × 125 mm Standard colours: ■



Stack & Nest Box / Fillet Box 15 kg / 20 l 600 × 400 × 150 mm Standard colours: ■



Stack & Nest Box/ Fish Box 30 kg/32 l Accessories: Lid 600 × 400 × 225 mm Standard colours:



Stack & Nest Box / Fish Box 20 kg / 35 l Standard colours: ■□



Stack & Nest Box / Euro Fish Box 25 kg / 40 l Accessories: Lid 800 × 400 × 225 mm Standard colours: ■□



Stack & Nest Box / Fish Box 40 kg / 60 l 800 × 450 × 270 mm Standard colours: ■□



Stack & Nest Box / Fish Box 50 kg / 75 l 890 × 560 × 235 mm Standard colours: ■□



Craebox 50 kg / 70 l 813 × 483 × 220 mm Standard colours: □



Containers for the **Construction Industry**

- Suitable for use in various trades
 Heavy quality with high wall thickness
 TÜV tested (FMK and D-SMK)



Bucket 20 l Ø 380 × 280 mm Standard colours:



Bucket 30 l Ø 380 × 420 mm Standard colours:



Mortar Tub 90 I Accessories: Trolley Ø 628 × 385 mm Standard colours:



Mortar Tub (D-SMK) 90 I with coated tubular steel frame, Accessories: Trolley Ø 628 × 385 mm Standard colours: ■



Ready Mortar Skip (FMK) 200 l 990 × 665 × 490 mm Standard colours:

Universal Trough

45 I

- Ideal for various applications
- Facilitates a safe and clean transportation



Universal Trough 45 l 910 × 700 × 90 mm Standard colours: ■

Poultry Transport Crate

90 I

- Integrated door on the topGood ventilation characteristicsStackable



Poultry Transport Crate 90 l 840 × 495 × 295 mm On request Standard colours:







■ Basalt grey ■ Black





Wheeled Bins

Product range for municipal and industrial applications

MGBneo 120-360 l

- Optimised, robust constructionParticularly economical
- Resource-friendly bin concept
- Standard colours:

















340 I / 360 I Saloon Lid Accessories: Divider wall



MGBneo⁴ 660-1100 I

- Suitable for industrial applications and any kind of high-volume waste
 Safe and robust lifting and emptying
- Standard colours:



660 I



770 I



1100 I



1100 I



Hazardous Waste Containers 120-770 I

- Highest product quality for durability, even with
- MGBneo for proper disposal of empty or partially emptied aerosol cans and containers (UN 1950)
- 2-wheel and 4-wheel wheelie bins MGBneo for disposal of clinical and medical waste (UN 3291)
- Standard colours: ■



Waste aerosols container UN 1950



Waste aerosols container UN 1950



3401/3601 Clinical waste container UN 3291



Clinical waste container UN 3291



Domestic Food Waste Bins

7-23 I

- For frequent collection of food waste
 One-piece carry handle and locking lids
- Standard colours:



Kitchen Caddy (Images not to scale)



(Images not to scale)

Please note: The acronym "MGB" is a standard European waste industry term used to describe a mobile garbage bin (wheelie bin).

Depending on the bin type, numerous extra features and fittings are available to individually adjust the container to fit your requirements. Different aperture options, locking systems, individual marking and sequential numbering as well as an ergonomic lid-in-lid solution for easy lid opening from both sides are available

MGBplus 120-240 l

- Exceptional stability
 Suitable for high st
- Suitable for high stress
 Specially shaped front area
- Standard colours: ■■■■■









240 I



MGB 60-80 I

- Ideal for separation of different waste streams in small households
- Standard colours:







DU 60-240 I

- Self-centering container mounting
 Fast and safe emptying
 Robust due to specially shaped front area
- Standard colours:













Sheet Steel 240-1100 l

- Suitable for oily and hot wasteIdeal for industry and garage



MGB sheet steel 240 l



MGB sheet steel 1100 l



DIN EN 840 EN ISO 1461

Sheet Steel 2500-7500/8000 I

- For applications with large waste volumesExtremely robust



Rear-end loading container 2500 I, 3000 I, 5000 I, 7000 I (Images not to scale)



Front-end loading container 2500 I, 4500 I, 6500 I (Images not to scale)



Front-end loading container 2500 l, 5000 l, 7500/ 8000 l (Images not to scale)

Standard colours

■ Anthracite **■** Green Brown

■Blue Yellow ■ Red









Material

High-quality and sustainable

Craemer focuses on quality and sustainability. This begins with the general orientation of manufacturing durable and reusable products using only pure, high-quality PE that has been tested to high quality standards.

Craemer plastic pallets, pallet boxes, plastic boxes and wheelie bins are therefore all made from high-quality PE. This material offers high impact resistance, stability and durability. Compared to other plastics, PE can be used without breakages, even at low and sub-zero temperatures. It is highly resistant to acids, alkaline solutions and chemicals.

Redemption at the end of the pallets useful service life

Sustainable and future-oriented management of natural resources is our mission. This is why our responsible interaction with the environment includes the withdrawal of products from circulation due to their age, or as soon as they are no longer in good working order.

For Craemer products, that takes a long time (our customers' pallets have been in use for 10 years or more), but even for Craemer products, there comes a time to renew the old. Just contact us and we'll be happy to help. It is a good contribution to sustainable trade to start the recycling life-cycle again with this high-grade material.


Colours and Labelling

Flexibility for your colour management

Need a special colour? No problem, we offer a large range of standard and special colours. All Craemer products can of course also be personalised with lettering, logo and sequential numbering. (All custom requirements may be subject to minimum order quantities and production positioning. Details available upon request.)

The following labelling options are available:

- Hot stamping of logo, lettering or sequential numbering
- Logo insert in mould



Example: Logo (hot stamping)



Example: Lettering (hot stamping)

Quality Assurance

In-house Testing Facilities


When planning and implementing product inspections, Craemer draws on its in-house expertise: Almost all the necessary testing facilities are available in our own laboratories. During the incoming goods inspection, product testing and initial sample inspection, our qualified team ensures that all items are of the required quality. For special tests or product certifications, we are in close contact with various external testing institutes.

Active inspections plastic products

- General appearance, processing
- Ageing tests
- Torque testing
- Pressure tests
- Bending tests
- Dynamic load tests (ball drop tests, corner drop tests)
- Weight inspections
- Hardness tests
- Climate tests
- Inspections by attributes and measures
- Practical tests (Roller conveyor tests, fork lift and lift truck tests)
- All types of special audits
- Static load tests
- Visual inspections
- Tensile tests and strength testing



Lifting and emptying test



Corner drop test



Do you have questions or require detailed information? We look forward to your call / message.

Germany (Headquarters Export Department)
Craemer GmbH

Brocker Strasse 1

33442 Herzebrock-Clarholz | Germany

Tel.: +49 5245 43-0

E-mail: info@craemer.com www.craemer.com/en

United Kingdom Craemer UK Ltd

Craemer on Ltu

Craemer House

Hortonwood 1

Telford, Shropshire TF1 7GN | United Kingdom Tel: +44 1952 6078-00 | Fax: +44 1952 6078-01

161. +44 1952 00/ 6-00 | FdX. +44 1952 00/ 6-01

E-mail: info@craemer.com

www.craemer.co.uk



